



W Fremont St

W Fremont St

N Harrison St

Warm Up Lot

Spectator Paid Parking

No Parking Allowed

Path to Loading

Path to Warm-Up Lot

Path to Ensemble Entrance (use sidewalk)

Ensemble Exit

Spectator Entrance

Ensemble Check-In







Ensemble Entrance

Equipment Vehicle Parking

Must Have NCPA Parking Pass to Enter

All Warm Up Zones are 80ft x 50ft.

Face speakers in direction of arrow for that zone.





Hydration Station will be located at Ensemble Exit, next to Floor Folding


Unit Check In and Ensemble Entrance is at the South Entrance

Path to Loading

Floor Folding

Ensemble Entrance


Ensemble Check-In




Path to Ensemble Entrance



Use Sidewalk. Gate will be closed



Ensemble Check-In



Ensemble Entrance


South Entrance Doors (1) will have the middle bar removed


Everyone entering South Entrance must have a wristband. There are NO exceptions to this rule. This includes ensemble staff and parent volunteers.

Quiet Zone begins inside the building. Keep voices down when inside the arena.

Do NOT setup tall props exceeding a height of 8ft 9in in the concourse (2)

Tall props can be setup after going through the Floor Access Tunnel (4)





No Standing In This Area

127

Effect-Music, Effect-Visual,
Announcer Tabulation Visual Judges

Music Judges

101

Sound Engineer



No Standing In This Area

102

Staff/
Volunteer
Seating

Staff/
Volunteer
Seating

Performance Floor



View from Judge Landing






Ensemble Exit Corridor

**Garage Door will open
for ensemble exit**

**Battery Drums drop
off is past the garage
door**


**Garage Door will
close once all
equipment is out**



Path to Loading

Path to Ensemble Entrance
(use sidewalk)

Floor Folding



14ft

12ft

Ensemble Exit